Index of Authors

Abdelmoumen, H., Filali-Maltouf, A., Neyra, M., Belabed, A. & Missbah El Idrissi, M. Effect of high salts concentrations on the growth of rhizobia and responses to added osmotica, 889
Acosta, F.J. *see* Barandica, J.M.
Adams, M.R. *see* Jones, C.R.
Akao, T. *see* Mizuki, E.
Alvarez, M.A., Rodríguez, A. & Suárez, J.E. Stable expression of the *Lactobacillus casei* bacteriophage A2 repressor blocks phage propagation during milk fermentation, 812
Amanatidou, A., Smid, E.J. & Gorris, L.G.M. Effect of elevated oxygen and carbon dioxide on the surface growth of vegetable associated micro-organisms, 429
Amri, D. *see* Mansour, M.
Anderson, E.J. *see* Yang, Y.
Andersson, A.M., Weiss, N., Rainey, F. & Salkinoja-Salonen, M.S. Dust-borne bacteria in animal sheds, schools and children's day care centres, 622
Andolfi, A. *see* Lavermicocca, P.
Arana, I., Santorum, P., Muela, A. & Barcina, I. Chlorination and ozonation of waste-water: comparative analysis of efficacy through the effect on *Escherichia coli* membranes, 883
Arias, C.R., Macián, M.C., Aznar, R., Garay, E. & Pujalte, M.J. Influence of oxygen availability on physiology, verocytotoxin expression and adherence of *Escherichia coli* O157, 125
Armon, R. *see* Zuckerman, U.
Armuzzi, R. *see* Massa, S.
Arnaud, A. *see* Bigey, F.
Arneborg, N. *see* Chi, Z.
Arpin, N. *see* Soler-Rivas, C.
Arroyo, G., Sanz, P.D. & Préstamo, G. Response to high-pressure, low-temperature treatment in vegetables: determination of survival rates of microbial populations using flow cytometry and detection of peroxidase activity using confocal microscopy, 544
Aturaliye, D. *see* Haas, C.N.
Aznar, R. *see* Arias, C.R.

Bambirra, E.A. *see* Silva, A.M.
Barandica, J.M., Santos, A., Marquina, D., López, F., Acosta, F.J. & Peinado, J.M. A mathematical model for toxin accumulation by killer yeasts based on the yeast population growth, 805
Barcina, I. *see* Arana, I.
Basile, T. *see* Maullu, C.
Baverel, L. *see* Vasseur, C.
Beacham, I.R. *see* Jones, R.A.
Belabed, A. *see* Abdelmoumen, H.
Beers, P. *see* Payne, J.F.
Benoit, V. *see* Boussouel, N.
Beuchat, L.R. *see* Deng, Y.
Bhimani, R.S., Vendrov, Y. & Furmanski, P. Low incidence *of Vibrio vulnificus* among *Vibrio* isolates from sea water and shellfish of the western Mediterranean coast, 135
Bigey, F., Chebrou, H., Fournand, D. & Arnaud, A. Transcriptional analysis of the nitrile-degrading operon from *Rhodococcus* sp. ACV2 and high level production of recombinant amidase with an *Escherichia coli* - T7 expression system, 752
Blair, I.S. *see* Bolton, D.J.
Blair, I.S. *see* Cloak, O.M.
Bolton, D.J., Byrne, C.M., Sheridan, J.J., McDowell, D.A. & Blair, I.S. The survival characteristics of a non-toxigenic strain of *Escherichia coli* O157:H7, 407
Boor, K.J. *see* Ferreira, A.
Bouchez-Naïtali, M., Rakatozafy, H., Marchal, R., Leveau, J.-Y. & Vandecasteele, J.-P. Diversity of bacterial strains degrading hexadecane in relation to the mode of substrate uptake, 421
Boussouel, N., Mathieu, F., Benoit, V., Linder, M., Revol-Junelles, A.-M. & Millière, J.-B. Response Surface Methodology, an approach to predict the effects of a lactoperoxidase system, Nisin, alone or in combination, on *Listeria monocytogenes* in skim milk, 642
Bouttefroy, A. *see* Mansour, M.
Bridge, P.D. *see* Lodwig, E.M.
Brimer, L. *see* Petruccioli, M.
Bunch, R.J. *see* Krause, D.O.
Burr, T.J. *see* Huang, T.-C.
Burton, N.F. *see* Wigley, P.
Byrne, C.M. *see* Bolton, D.J.

Calza, R.E. *see* Chang, J.S.
Canganella, F. *see* Massa, S.
Carson, C.F. *see* Hammer, K.A.
Carstensen, B. *see* Skov, M.N.
Castillo, I., Requena, T., Fernández De Palencia, P., Fontecha, J. & Gobbetti, M. Isolation and characterization of an intracellular esterase from *Lactobacillus casei* subsp. *casei* IFPL731, 653
Caul, E.O. *see* Egglestone, S.I.
Cavallo, R.A., Rizzi, C., Vozza, T. & Stabili, L. Viable heterotrophic bacteria in water and sediment in 'Mar Piccolo' of Taranto (Ionian Sea, Italy), 906
Chamberlain, A.H.L. *see* Jones, C.R.
Chang, J.S., Harper, E.M. & Calza, R.E. Fermentation extract effects on the morphology and metabolism of the rumen fungus *Neocallimastix frontalis* EB188, 389
Chao, C.C. *see* Tien, C.C.

Chao, W.L. *see* Tien, C.C.
Chart, H. & Jenkins, C. A REVIEW The serodiagnosis of infections caused by verocytotoxin-producing *Escherichia coli*, 731
Chart, H. *see* Jenkins, C.
Chaudhuri, J. *see* Ghosh, S.
Chebrou, H. *see* Bigey, F.
Chen, H.-K. *see* Lu, S.-F.
Chi, Z. & Arneborg, N. Relationship between lipid composition, frequency of ethanol-induced respiratory deficient mutants, and ethanol tolerance in *Saccharomyces cerevisiae*, 1047
Choi, H.-J., Lee, H.-S., Her, S., Oh, D.-H. & Yoon, S.-S. Partial characterization and cloning of leuconocin J, a bacteriocin produced by *Leuconostoc* sp. J2 isolated from the Korean fermented vegetable Kimchi, 175
Cicalini, A.R. *see* Petruccioli, M.
Cloak, O.M., Duffy, G., Sheridan, J.J., McDowell, D.A. & Blair, I.S. Development of a Surface Adhesion Immunofluorescent Technique for the rapid detection of *Salmonella* spp. from meat and poultry, 583
Codd, G.A. *see* Ward, C.J.
Cook, A.M. *see* Denger, K.
Corroler, D. *see* Mangin, I.
Cosmao Dumanoir, V. *see* Lecadet, M.-M.
Cowell, B.A., Willcox, M.D.P., Herbert, B. & Schneider, R.P. Effect of nutrient limitation on adhesion characteristics of *Pseudomonas aeruginosa*, 944
Cresci, A. *see* Silvi, S.
Cresci, A., Orpianesi, C., Silvi, S., Mastrandrea, V. & Dolara, P. The effect of sucrose or starch-based diet on short-chain fatty acids and faecal microflora in rats, 245
Cubero, J., Martínez, M.C., Llop, P. & López, M.M. A simple and efficient PCR method for the detection of *Agrobacterium tumefaciens* in plant tumours, 591

Dadarwal, K.R. *see* Parmar, N.
Darville, J.M. *see* Egglestone, S.I.
Day, M.J. *see* Thomas, D.G.
De Pina, C.G. & Hogg, T.A. Microbial and chemical changes during the spontaneous ensilage of grape pomace, 777
Defives, C. *see* Guyard, S.
Defives, C., Guyard, S., Oularé, M.M., Mary, P. & Hornez, J.P. Total counts, culturable and viable, and non-culturable microflora of a French mineral water: a case study, 1033
Dellunde, J. *see* Lasobras, J.
Deng, Y., Ryu, J.-H. & Beuchat, L.R. Tolerance of acid-adapted and non-adapted *Escherichia coli* 0157:H7 cells to reduced pH as affected by type of acidulant, 203
Denger, K. & Cook, A.M. Weak-acid preservatives: modelling microbial inhibition and response, 165
Dijksterhuis, J., Sanders, M., Gorris, L.G.M. & Smid, E.J. Purification and properties of mercuric reductase from *Azotobacter chroococcum*, 13
Dobreva, E. *see* Kabaivanova, L.
Dolara, P. *see* Cresci, A.
Dornan, E. *see* Osborne, R.
Dubois-Brissonnet, F. *see* Méchin, L.
Duffy, G. & Sheridan, J.J. The effect of pH and culture system on the attachment of plasmid-bearing and plasmid-cured *Yersinia enterocolitica* to a polycarbonate membrane in a surface adhesion immunofluorescent technique, 867
Duffy, G. *see* Cloak, O.M.
Dunfield, K.E., Xavier, L.J.C. & Germida, J.J. Molecular differences distinguish clonal lineages within East African populations of *Fusarium oxysporum* f.sp. *cubense*, 78
Durkin, T. *see* Osborne, R.

Easteal, S. *see* Jones, R.A.
Egglestone, S.I., Caul, E.O., Vipond, I.B. & Darville, J.M. Absence of human astrovirus RNA in sewage and environmental samples, 709
Ehrmann, M.A. *see* Remiger, A.
Eijsink, V.G.H. *see* Remiger, A.
Evidente, A. *see* Lavermicocca, P.

Farto, R., Montes, M., Pérez, M.J., Nieto, T.P., Larsen, J.L. & Pedersen, K. Characterization by numerical taxonomy and ribotyping of *Vibrio splendidus* biovar I and *Vibrio scophthalmi* strains associated with turbot cultures, 796
Federici, F. *see* Petruccioli, M.
Fernández De Palencia, P. *see* Castillo, I.
Fernández, A. *see* González, I.
Ferreira, A., Rendano, L., Wiedmann, M. & Boor, K.J. Characterization of *rpoS* alleles in *Escherichia coli* O157:H7 and in other *E. coli* serotypes , 295
Fett, W.F., Wijey, C., Moreau, R.A. & Osman, S.F. Production of cutinase by *Thermomonospora fusca* ATCC 27730, 561
Filali-Maltouf, A. *see* Abdelmoumen, H.
Fitzgerald, G.F. *see* O'Sullivan, T.F.
Florin-Christensen, J. *see* Guberman, A.
Florin-Christensen, M. *see* Guberman, A.
Fontecha, J. *see* Castillo, I.
Forstner, J.F. *see* Fujiwara, S.
Fournand, D. *see* Bigey, F.
Fraaije, B.A., Lovell, D.J., Rohel, E.A. & Hollomon, D.W. Rapid detection and diagnosis of *Septoria tritici* epidemics in wheat using a polymerase chain reaction/PicoGreen assay, 701
Frachon, E. *see* Lecadet, M.-M.
Freeman, S. *see* Hirst, P.H.
Fricker, C.R. *see* Reynolds, D.T.

Fujiwara, S., Hashiba, H., Hirota, T. & Forstner, J.F. Purification and characterization of a novel protein produced by *Bifidobacterium longum* SBT2928 that inhibits the binding of enterotoxigenic *Escherichia coli* Pb176 (CFA/II) to gangliotetraosylceramide, 615
Funahashi, W. *see* Yamagishi, H.
Furmanski, P. *see* Bhimani, R.S.
Furr, J.R. *see* Khunkitti, W.

Garay, E. *see* Arias, C.R.
García, T. *see* González, I.
Gashe, B.A. *see* Mamo, G.
Gassem, M.A.A. Study of the micro-organisms associated with the fermented bread (khamir) produced from sorghum in Gizan region, Saudi Arabia, 221
George, A.M. *see* Oakey, H.J.
Germida, J.J. *see* Dunfield, K.E.
Gervais, P. *see* Poirier, I.
Gessesse, A. *see* Mamo, G.
Ghosh, D.K. *see* Ghosh, S.
Ghosh, S, Sadhukhan, P.C., Chaudhuri, J., Ghosh, D.K. & Mandal, A. Purification and properties of mercuric reductase from *Azotobacter chroococcum*, 7
Gibson, L.F. *see* Oakey, H.J.
Gilmour, A. *see* Norwood, D.E.
Gobbetti, M. *see* Castillo, I.
Gold, D. *see* Zuckerman, U.
Gomes, D.A. *see* Silva, A.M.
González, I., García, T., Fernández, A., Sanz, B., Hernández, P.E. & Martin, R. Rapid enumeration of *Escherichia coli* in oysters by a quantitative PCR-ELISA, 231
González-López, J. *see* Sierra, S.
Goodson, M. *see* Rowbury, R.J.
Gorris, L.G.M. *see* Amanatidou, A.
Gorris, L.G.M. *see* Dijksterhuis, J.
Goulhen, F., Meghrous, J. & Lacroix, C. Production of a nisin Z/pediocin mixture by pH-controlled mixed-strain batch cultures in supplemented whey permeate, 399
Guberman, A., Hartmann, M., Tiedtke, A., Florin-Christensen, J. & Florin-Christensen, M. A method for the preparation of *Tetrahymena thermophila* phospholipase A_1 suitable for large-scale production, 226
Gueguen, M. *see* Mangin, I.
Guyard, S. *see* Defives, C.
Guyard, S., Mary, P., Defives, C. & Hornez, J.P.. Enumeration and characterization of bacteria in mineral water by improved direct viable count method, 841

Haahtela, K. *see* Sarand, I.
Haas, C.N. & Aturaliye, D. Semi-quantitative characterization of electroporation assisted disinfection processes for inactivation of *Giardia* and *Cryptosporidium*, 899
Haikara, A. *see* Niku-Paavola, M.-L.
Hammer, K.A., Carson, C.F. & Riley, T.V. Antimicrobial activity of essential oils and other plant extracts, 985
Hammer, K.A., Carson, C.F. & Riley, T.V. Influence of organic matter, cations and surfactants on the antimicrobial activity of *Melaleuca alternifolia* (tea tree) oil *in vitro*, 446
Hamon, S. *see* Lecadet, M.-M.
Hann, A.C. *see* Khunkitti, W.
Harper, E.M. *see* Chang, J.S.
Hartmann, M. *see* Guberman, A.
Hashiba, H. *see* Fujiwara, S.
Havelaar, A.H. *see* in 't Veld, P.H.
Hayford, A.E. & Jespersen, L. Characterization of *Saccharomyces cerevisiae* strains from spontaneously fermented maize dough by profiles of assimilation, chromosome polymorphism, PCR and *MAL* genotyping, 284
Hébraud, M. *see* Vasseur, C.
Heir, E., Sundheim, G. & Holck, A.L. The *qacG* gene on plasmid pST94 confers resistance to quaternary ammonium compounds in staphylococci isolated from the food industry, 378
Hellström, A. *see* Pedersen, K.
Her, S. *see* Choi, H.-J.
Herbert, B. *see* Cowell, B.A.
Hernández, P.E. *see* González, I.
Heyd, B. *see* Méchin, L.
Higgins, P. *see* Moënne-Loccoz, Y.
High, A.S. *see* Krinos, C.
Higuchi, K. *see* Mizuki, E.
Hill, C. *see* Mcauliffe, O.
Hill, D.J. *see* Thomas, C.
Hirota, T. *see* Fujiwara, S.
Hirst, P.H., Riley, A.M., Mills, S.J., Spiers, I.D., Poyner, D.R., Freeman, S., Potter, B.V.L. & Smith, A.W. Inositol polyphosphate-mediated iron transport in *Pseudomonas aeruginosa*, 537
Hogg, T.A. *see* De Pina, C.G.
Holck, A.L. *see* Heir, E.
Hollomon, D.W. *see* Fraaije, B.A.
Hornez, J.P. *see* Defives, C.
Hornez, J.P. *see* Guyard, S.
Howard, S. *see* Jones, K.
Hu, H.H. *see* Tsen, H.-Y.
Huang, L.-K. & Mahoney, R. Influence of lactoferrin feeding and injection against systemic staphylococcal infections in mice, 145
Huang, T.-C. & Burr, T.J. Characterization of plasmids that encode streptomycin-resistance in bacterial epiphytes of apple, 741
Hughes, C. *see* Osborne, R.
Humphrey, T.J. *see* Rowbury, R.J.
Hwang, S.-H. *see* Mizuki, E.

Ichimatsu, T. *see* Mizuki, E.
Iivanainen, E., Martikainen, P.J, Väänänen, P. & Katila, M.-L. Environmental factors affecting the occurrence of mycobacteria in brook sediments, 673
in 't Veld, P.H., Havelaar, A.H. & Van Strijp-Lockefeer, N.G.W.M. The certification of a reference material for the evaluation of methods for the enumeration of *Bacillus cereus*, 266
Ingianni, A. *see* Maullu, C.

James, B.W. & Keevil, C.W. Effect of inoculum preparation and formulation on survival and biocontrol efficacy of *Pseudomonas fluorescens* F113, 117
Jarvis, G.N., Strömpl, C., Moore, E.R.B. & Thiele, J.H. Isolation and characterization of two glycerol-fermenting clostridial strains from a pilot scale anaerobic digester treating high lipid-content slaughterhouse waste, 412
Jeffries, P. *see* Lodwig, E.M.
Jenkins, C. & Chart, H. Serodiagnosis of infection with Verocytotoxin-producing *Escherichia coli*, 569
Jenkins, C. *see* Chart, H.
Jermiin, L.S. *see* Jones, R.A.
Jespersen, L. *see* Hayford, A.E.
Jofre, J. *see* Lasobras, J.
Johnson, M.G. *see* Yildirim, Z.
Jones, C.R., Adams, M.R., Zhdan, P.A. & Chamberlain, A.H.L. The role of surface physicochemical properties in determining the distribution of the autochthonous microflora in mineral water bottles, 917
Jones, K. *see* Obiri-Danso, K.
Jones, K., Howard, S. & Wallace, J.S. Intermittent shredding of thermophilic campylobacters by sheep at pasture, 531
Jones, R.A., Jermiin, L.S., Easteal, S., Patel, B.K.C. & Beacham, I.R. *Saccharomyces cerevisiae* viability is strongly dependant on rehydration kinetics and the temperature of dried cells, 93

Kabaivanova, L., Dobreva, E. & Miteva, V. Production of α-cyclodextrin glucosyltransferase by *Bacillus stearothermophilus* R2 strain isolated from a Bulgarian hot spring, 1017
Kanai, K. *see* Nguyen, H.T.
Katila, M.-L. *see* Iivanainen, E.
Kawai, M., Yamaguchi, N. & Nasu, M. Rapid enumeration of physiologically active bacteria in purified water used in the pharmaceutical manufacturing process, 496
Keevil, C.W. *see* James, B.W.
Khunkitti, W., Hann, A.C., Lloyd, D., Furr, J.R. & Russell, A.D. X-ray microanalysis of chlorine and phosphorus content in biguanide-treated *Acanthamoeba castellanii*, 453
Koivula, T. *see* Sarand, I.
Krause, D.O., Bunch, R.J., Smith, W.J.M. & McSweeney, C.S. Diversity of *Ruminococcus* strains: a survey of genetic polymorphisms and plant digestibility, 487
Krinos, C., High, A.S. & Rodgers, F.G. Role of the 25 kDa major outer membrane protein of *Legionella pneumophila* in attachment to U-937 cells and its potential as a virulence factor for chick embryos, 237
Kühn, I. *see* Pedersen, K.
Kulakova, A.N. *see* McGrath, J.W.
Kung'u, J. *see* Lodwig, E.M.

Labadie, J. *see* Vasseur, C.
Lacroix, C. *see* Goulhen, F.
Laitila, A. *see* Niku-Paavola, M.-L.
Lambert, R.J. & Stratford, M. Purification and characterization of an endo-polygalacturonase from *Verticillium albo-atrum*, 157
Lambert, R.J.W. & van der Ouderaa, M.-L.H. An investigation into the differences between the Bioscreen and the traditional plate count disinfectant test methods, 689
Lampis, G. *see* Maullu, C.
Larsen, J.L. *see* Farto, R.
Larsen, J.L. *see* Pedersen, K.
Lasobras, J., Dellunde, J., Jofre, J. & Lucena, F. Occurrence and levels of phages proposed as surrogate indicators of enteric viruses in different types of sludges, 723
Laurent, P. *see* Lecadet, M.-M.
Lavermicocca, P., Lonigro, S.L., Evidente, A. & Andolfi, A. Bacteriocin production by *Pseudomonas syringae* pv. *ciccaronei* NCPPB2355. Isolation and partial characterization of the antimicrobial compound, 257
Lebeault, J.-M. *see* Solano-Serena, F.
Lecadet, M.-M., Frachon, E., Cosmao Dumanoir, V., Ripouteau, H., Hamon, S., Laurent, P. & Thiéry, I. Updating the H-antigen classification of *Bacillus thuringiensis*, 660
Lee, F.-L. *see* Lu, S.-F.
Lee, H.-S. *see* Choi, H.-J.
Leveau, J.-Y. *see* Bouchez-Naïtali, M.
Leveau, J.Y. *see* Méchin, L.
Lin, J.S. *see* Tsen, H.-Y.
Lin, S.-T. *see* Tsan, T.-C.
Linder, M. *see* Boussouel, N.
Linder, M. *see* Mansour, M.
Lindqvist, R. Detection of *Shigella* spp. in food with a nested PCR method - sensitivity and performance compared with a coventional culture method, 971
Linton, C.J, Sherriff, A. & Millar, M.R. Use of a modified Robbins device to directly compare the adhesion of *Staphylococcus epidermidis* RP62A to surfaces, 194
Liu , P.R. *see* Tsen, H.-Y.
Llop, P. *see* Cubero, J.
Lloyd, D. *see* Khunkitti, W.

Lodwig, E.M., Bridge, P.D., Rutherford, M.A., Kung'u, J. & Jeffries, P. Campylobacter infections in fattening pigs; excretion pattern and genetic diversity, 71
Lonigro, S.L. *see* Lavermicocca, P.
López, F. *see* Barandica, J.M.
López, M.J. *see* Moreno, J.
López, M.M. *see* Cubero, J.
Lovell, D.J. *see* Fraaije, B.A.
Lu, S.-F., Lee, F.-L. & Chen, H.-K. Purification, amino acid sequence and mode of action of bifidocin B produced by *Bifidobacterium bifidum* NCFB 1454, 55
Lucena, F. *see* Lasobras, J.

Mabey, M. *see* Thomas, C.
Macián, M.C. *see* Arias, C.R.
Madsen, M. *see* Skov, M.N.
Mahoney, R. *see* Huang, L.-K.
Maillard, J.-Y. *see* Walsh, S.E.
Mamo, G., Gashe, B.A. & Gessesse, A. A highly thermostable amylase from a newly isolated thermophilic *Bacillus* sp. WN1, 557
Mandal, A. *see* Ghosh, S.
Mangin, I., Corroler, D., Reinhardt, A. & Gueguen, M. Genetic diversity among dairy lactococcal strains investigated by polymerase chain reaction with three arbitrary primers, 514
Mansour, M., Amri, D., Bouttefroy, A., Linder, M. & Milliere, J.B. Inhibition of *Bacillus licheniformis* spore growth in milk by nisin, monolaurin, and pH combinations, 311
Marchal, R. *see* Bouchez-Naïtali, M.
Marchal, R. *see* Solano-Serena, F.
Maréchal, P.-A. *see* Poirier, I.
Marquina, D. *see* Barandica, J.M.
Martikainen, P.J *see* Iivanainen, E.
Martin, R. *see* González, I.
Martínez, M.C. *see* Cubero, J.
Martínez-Toledo, M.V. *see* Sierra, S.
Mary, P. *see* Defives, C.
Mary, P. *see* Guyard, S.
Massa, S., Armuzzi, R., Tosques, M., Canganella, F. & Trovatelli, L.D. *Note:* Linear alkylbenzenesulphonate (LAS) bioavailable to anaerobic bacteria as a source of sulphur, 169
Mastrandrea, V. *see* Cresci, A.
Mathieu, F. *see* Boussouel, N.
Mattila-Sandholm, T. *see* Niku-Paavola, M.-L.
Maullu, C., Lampis, G., Basile, T., Ingianni, A., Rossolini, G.M. & Pompei, R. Production of lysozyme-enriched biomass from cheese industry by-products, 182
McAuliffe, O., Hill, C. & Ross, R.P. Inhibition of *Listeria monocytogenes* in cottage cheese manufactured with a lacticin 3147-producing starter culture, 251
McDowell, D.A. *see* Bolton, D.J.
McDowell, D.A. *see* Cloak, O.M.
McGrath, J.W., Kulakova, A.N. & Quinn, J.P. A comparison of three bacterial phosphonoacetate hydrolases from different environmental sources, 834
McSweeney, C.S. *see* Krause, D.O.
Méchin, L., Dubois-Brissonnet, F., Heyd, B. & Leveau, J.Y. Adaptation of *Pseudomonas aeruginosa* ATCC 15442 to didecyldimethylammonium bromide induces changes in membrane fatty acid composition and in resistance of cells, 859
Meghrous, J. *see* Goulhen, F.
Millar, M.R. *see* Linton, C.J
Millière, J.-B. *see* Boussouel, N.
Milliere, J.B. *see* Mansour, M.
Mills, S.J. *see* Hirst, P.H.
Missbah El Idrissi, M. *see* Abdelmoumen, H.
Mitev, V. *see* Miteva, V.
Miteva, V. *see* Kabaivanova, L.
Miteva, V., Selenska-Pobell, S. & Mitev, V. Random and repetitive primer amplified polymorphic DNA analysis of *Bacillus sphaericus*, 928
Mizuki, E., Ichimatsu, T., Hwang, S.-H., Park, Y.S., Saitoh, H., Higuchi, K. & Ohba, M. Ubiquity of *Bacillus thuringiensis* on phylloplanes of arboreous and herbaceous plants in Japan, 979
Mizuki, E., Ohba, M., Akao, T., Yamashita, S., Saitoh, H. & Park, Y.S. Unique activity associated with non-insecticidal *Bacillus thuringiensis* parasporal inclusions: *in vitro* cell-killing action on human cancer cells, 477
Moënne-Loccoz, Y., Naughton, M., Higgins, P., Powell, J., O'Connor, B. & O'Gara, F. Amylase and 16S rRNA genes from a hyperthermophilic archaebacterium, 108
Montes, M. *see* Farto, R.
Moore, E.R.B. *see* Jarvis, G.N.
Moran, A.P. & Penner, J.L. A REVIEW Serotyping of *Campylobacter jejuni* based on heat-stable antigens: relevance, molecular basis and implications in pathogenesis, 361
Moreau, R.A. *see* Fett, W.F.
Moreno, J., Vargas-Garcia, C., Lrelevance, molecular basis and implications in pathogenesis, 361
6S rRNA gen*Azotobacter vinelandii* in media containing phenolic acids, 439
Morris, A.E.J. *see* Payne, J.F.
Muela, A. *see* Arana, I.

Nasu, M. *see* Kawai, M.
Naughton, M. *see* Moënne-Loccoz, Y.
Nes, I.F. *see* Remiger, A.
Neyra, M. *see* Abdelmoumen, H.
Nguyen, H.T. & Kanai, K. Selective agars for the isolation of *Streptococcus iniae* from Japanese flounder, *Paralichthys olivaceus*, and its cultural environment, 769
Nicoli, J.R. *see* Silva, A.M.
Nieto, T.P. *see* Farto, R.

Niku-Paavola, M.-L., Laitila, A., Mattila-Sandholm, T. & Haikara, A. The effect of diet on aerobic bacterial flora associated with intestine of Arctic charr *(Salvelinus alpinus* L.), 29
Norwood, D.E. & Gilmour, A. Adherence of *Listeria monocytogenes* strains to stainless steel coupons, 576

O'Connor, B. *see* Moënne-Loccoz, Y.
O'Gara, F. *see* Moënne-Loccoz, Y.
O'Sullivan, T.F. & Fitzgerald, G.F. Electrotransformation of industrial strains of *Streptococcus thermophilus*, 275
Oakey, H.J., Gibson, L.F. & George, A.M. DNA probes specific for *Aeromonas hydrophila* (HG1), 187
Obiri-Danso, K. & Jones, K. The effect of a new sewage treatment plant on faecal indicator numbers, campylobacters and bathing water compliance in Morecambe Bay, 603
Ogata, T. *see* Yamagishi, H.
Oh, D.-H. *see* Choi, H.-J.
Ohba, M. *see* Mizuki, E.
Oliveira, A.L. *see* Silva, A.M.
Olivier, J.M. *see* Soler-Rivas, C.
Olsen, R.E. *see* Ringo, E.
Orpianesi, C. *see* Cresci, A.
Osborne, R., Durkin, T., Shannon, H., Dornan, E. & Hughes, C. Performance of open-fronted microbiological safety cabinets: the value of operator protection tests during routine servicing, 962
Osman, S.F *see* Fett, W.F.
Otsuta, Y. *see* Yamagishi, H.
Oularé, M.M. see Defives, C.

Park, Y.S. *see* Mizuki, E.
Parmar, N. & Dadarwal, K.R. New types of antimicrobial compounds produced by *Lactobacillus plantarum*, 36
Patel, B.K.C. *see* Jones, R.A.
Payne, J.F., Morris, A.E.J. & Beers, P. *Note:* Evaluation of selective media for the enumeration of *Bifidobacterium* sp. in milk, 353
Pedersen, K. *see* Farto, R.
Pedersen, K., Kühn, I., Seppänen, J., Hellström, A., Tiainen, T., Rimaila-Pärnänen, E. & Larsen, J.L. Clonality of *Vibrio anguillarum* strains isolated from the Scandinavian countries, Sweden, Finland and Denmark, 337
Peinado, J.M. *see* Barandica, J.M.
Peltola, R. *see* Sarand, I.
Penner, J.L. *see* Moran, A.P.
Pérez, M.J. *see* Farto, R.
Petruccioli, M., Brimer, L., Cicalini, A.R. & Federici, F. The linamarase of *Mucor circinelloides* LU M40 and its detoxifying activity on cassava, 302
Poirier, I., Maréchal, P.-A., Richard, S. & Gervais, P. Identification of *Rhizobium leguminosarum* and *Rhizobium* sp. (*Cicer*) strains using a custom Fatty Acid Methyl Ester (FAME) profile library, 87
Pompei, R. *see* Maullu, C.
Potter, B.V.L. *see* Hirst, P.H.
Powell, J. *see* Moënne-Loccoz, Y.
Poyner, D.R. *see* Hirst, P.H.
Pozo, C. *see* Sierra, S.
Prasetyo, A.B. *see* Röling, W.F.M.
Préstamo, G. *see* Arroyo, G.
Pujalte, M.J. *see* Arias, C.R.

Quinn, J.P. *see* McGrath, J.W.

Rai, A.K. & Tiwari, S.P. NO_3 nutrition and salt tolerance in the cyanobacterium *Anabaena* sp. PCC 7120 and mutant strains, 991
Rainey, F. *see* Andersson, A.M.
Rakatozafy, H. *see* Bouchez-Naïtali, M.
Reinders, R.D. *see* Weijtens, M.J.B.M.
Reinhardt, A. *see* Mangin, I.
Remiger, A., Eijsink, V.G.H., Ehrmann, M.A., Sletten, K., Nes, I.F. & Vogel, R.F. Purification and partial amino acid sequence of plantaricin 1.25α and 1.25β, two bacteriocins produced by *Lactobacillus plantarum* TMW1.25., 1053
Rendano, L. *see* Ferreira, A.
Requena, T. *see* Castillo, I.
Revol-Junelles, A.-M. *see* Boussouel, N.
Reynolds, D.T. & Fricker, C.R. Application of laser scanning for the rapid and automated detection of bacteria in water samples, 785
Richard, S. *see* Poirier, I.
Riley, A.M. *see* Hirst, P.H.
Riley, T.V. *see* Hammer, K.A.
Rimaila-Pärnänen, E. *see* Pedersen, K
Ringo, E. & Olsen, R.E. Antibiosis plays a role in the context of direct interaction during antagonism of *Paenibacillus polymyxa* towards *Fusarium oxysporum*, 22
Ripouteau, H. *see* Lecadet, M.-M.
Rizzi, C. *see* Cavallo, R.A.
Rodelas, B. *see* Sierra, S.
Rodgers, F.G. *see* Krinos, C.
Rodriguez, A. *see* Alvarez, M.A.
Rohel, E.A. *see* Fraaije, B.A.
Röling, W.F.M., Prasetyo, A.B., Stouthamer, A.H. & Van Verseveld, H.W. *Note:* Physiological aspects of the growth of the lactic acid bacterium *Tetragenococcus halophila* during Indonesian soy sauce *(kecap)* production, 348
Romantschuk, M. *see* Sarand, I.
Ropars, M. *see* Solano-Serena, F.
Ross, R.P. *see* Mcauliffe, O.
Rossolini, G.M. *see* Maullu, C.
Rowbury, R.J., Humphrey, T.J. & Goodson, M. Properties of an L-glutamate-induced acid tolerance response which involves the functioning of extracellular induction components, 325

Rowland, I.R. *see* Silvi, S.
Rumney, C.J. *see* Silvi, S.
Russell, A.D. *see* Khunkitti, W.
Russell, A.D. *see* Thomas, D.G.
Russell, A.D. *see* Walsh, S.E.
Rutherford, M.A. *see* Lodwig, E.M.
Ryu, J.-H. *see* Deng, Y.

Sadhukhan, P.C. *see* Ghosh, S..
Saitoh, H. *see* Mizuki, E.
Sakai, K. *see* Yamagishi, H.
Salkinoja-Salonen, M.S. *see* Andersson, A.M.
Sánchez-Serrano, G. *see* Moreno, J.
Sanders, M. *see* Dijksterhuis, J.
Santorum, P. *see* Arana, I.
Santos, A. *see* Barandica, J.M.
Sanz, B. *see* González, I.
Sanz, P.D. *see* Arroyo, G.
Sarand, I., Timonen, S., Koivula, T., Peltola, R., Haahtela, K., Sen, R. & Romantschuk, M. Tolerance and biodegradation of *m*-toluate by Scots pine, a mycorrhizal fungus and fluorescent pseudomonads individually and under associative conditions, 817
Schneider, R.P. *see* Cowell, B.A.
Scolari, G., Torriani, S. & Vescovo, M. Partial characterization and plasmid linkage of a non-proteinaceous antimicrobial compound in a *Lactobacillus casei* strain of vegetable origin, 682
Selenska-Pobell, S. *see* Miteva, V.
Sen, R. *see* Sarand, I.
Seppänen, J. *see* Pedersen, K.
Shannon, H. *see* Osborne, R.
Sheridan, J.J. *see* Bolton, D.J.
Sheridan, J.J. *see* Cloak, O.M.
Sheridan, J.J. *see* Duffy, G.
Sherriff, A. *see* Linton, C.J
Sierra, S., Rodelas, B., Martínez-Toledo, M.V., Pozo, C. & González-López, J. Production of B-group vitamins by two *Rhizobium* strains in chemically defined media, 851
Silva, A.M., Bambirra, E.A., Oliveira, A.L., Souza, P.P., Gomes, D.A., Vieira, E.C. & Nicoli, J.R. Protective effect of bifidus milk on the experimental infection with *Salmonella enteritidis* subsp. *typhimurium* in conventional and gnotobiotic mice, 331
Silvi, S. *see* Cresci, A.
Silvi, S., Rumney, C.J., Cresci, A. & Rowland, I.R. Resistant starch modifies gut microflora and microbial metabolism in human flora-associated rats inoculated with faeces from Italian and UK donors, 521
Skov, M.N., Carstensen, B., Tornoe, N. & Madsen, M. Evaluation of sampling methods for the detection of *Salmonella* in broiler flocks, 695
Sletten, K. *see* Remiger, A.
Smid, E.J. *see* Amanatidou, A.
Smid, E.J. *see* Dijksterhuis, J.
Smith, A.W. *see* Hirst, P.H.
Smith, W.J.M. *see* Krause, D.O.
Solano-Serena, F., Marchal, R., Ropars, M., Lebeault, J.-M. & Vandecasteele, J.-P. Biodegradation of gasoline: kinetics, mass balance and fate of individual hydrocarbons, 1008
Soler-Rivas, C., Arpin, N., Olivier, J.M. & Wichers, H.J. WLIP, a lipodepsipeptide of *Pseudomonas 'reactans'*, as inhibitor of the symptoms of the brown blotch disease of *Agaricus bisporus*, 635
Souza, P.P. *see* Silva, A.M.
Spiers, I.D. *see* Hirst, P.H.
Stabili, L. *see* Cavallo, R.A.
Stouthamer, A.H. *see* Röling, W.F.M.
Stratford, M. *see* Lambert, R.J.
Strömpl, C. *see* Jarvis, G.N.
Suárez, J.E. *see* Alvarez, M.A.
Sundheim, G. *see* Heir, E.
Süssmuth, R. *see* Vogel, R.

Thiele, J.H. *see* Jarvis, G.N.
Thiéry, I. *see* Lecadet, M.-M.
Thomas, C., Hill, D.J. & Mabey, M. Evaluation of the effect of temperature and nutrients on the survival of *Campylobacter* spp. in water microcosms, 1024
Thomas, D.G., Wilson, J.M., Day, M.J. & Russell, A.D. Mupirocin resistance in staphylococci: development and transfer of isoleucyl-tRNA synthetase-mediated resistance *in vitro*, 715
Tiainen, T. *see* Pedersen, K.
Tiedtke, A. *see* Guberman, A.
Tien, C.C., Chao, C.C. & Chao, W.L. Methods for DNA extraction from various soils: a comparison, 937
Timonen, S. *see* Sarand, I.
Tiwari, S.P. *see* Rai, A.K.
Tornoe, N. *see* Skov, M.N.
Torriani, S. *see* Scolari, G.
Tosques, M. *see* Massa, S.
Trovatelli, L.D. *see* Massa, S.
Tsan, T.-C. & Lin, S.-T. Disinfection of hospital waste sludge using hypochlorite and chlorine dioxide, 827
Tsen, H.-Y., Lin, J.S., Hu, H.H., Liu , P.R. & Wang, T.K. Use of pulsed field gel electrophoresis as an epidemiological tool for analysis of sporadic associated strains of *Salmonella typhi* isolated in Taiwan, 761
Tzipori, S. *see* Zuckerman, U.

Urlings, H.A.P. *see* Weijtens, M.J.B.M.

Väänänen, P. *see* Iivanainen, E.
Van Der Ouderaa, M.-L.H. *see* Lambert, R.J.W.
Van Der Plas, J. *see* Weijtens, M.J.B.M.
Van Strijp-Lockefeer, N.G.W.M. *see* in 't Veld, P.H.
Van Verseveld, H.W. *see* Röling, W.F.M.

Vandecasteele, J.-P. *see* Bouchez-Naïtali, M.
Vandecasteele, J.-P. *see* Solano-Serena, F.
Vargas-García, C. *see* Moreno, J.
Vasseur, C., Baverel, L., Hébraud, M. & Labadie, J. Effect of osmotic, alkaline, acid or thermal stresses on the growth and inhibition of *Listeria monocytogenes*, 469
Vendrov, Y. *see* Bhimani, R.S.
Vescovo, M. *see* Scolari, G.
Vieira, E.C. *see* Silva, A.M.
Vipond, I.B. *see* Egglestone, S.I.
Vogel, R. & Süssmuth, R. Low level chemiluminescence from liquid culture media, 999
Vogel, R.F. *see* Remiger, A.
Vozza, T. *see* Cavallo, R.A.

Wallace, J.S. *see* Jones, K.
Walsh, S.E., Maillard, J.-Y. & Russell, A.D. *Ortho*-phthalaldehyde: a possible alternative to glutaraldehyde for high level disinfection, 1039
Wang, T.K. *see* Tsen, H.-Y.
Ward, C.J. & Codd, G.A. Comparative toxicity of four microcystins of different hydrophobicities to the protozoan, *Tetrahymena pyriformis*, 874
Weijtens, M.J.B.M., Reinders, R.D., Urlings, H.A.P. & Van Der Plas, J. A thermotolerant and high acetic acid-producing bacterium *Acetobacter* sp. 114-2, 63
Weiss, N. *see* Andersson, A.M.
Wichers, H.J. *see* Soler-Rivas, C.
Wiedmann, M. *see* Ferreira, A.
Wigley, P. & Burton, N.F. Genotypic and phenotypic relationships in *Burkholderia cepacia* isolated from cystic fibrosis patients and the environment, 460
Wijey, C. *see* Fett, W.F.
Willcox, M.D.P. *see* Cowell, B.A.
Wilson, J.M. *see* Thomas, D.G.
Winters, D.K. *see* Yildirim, Z.

Xavier, L.J.C. *see* Dunfield, K.E.

Yamagishi, H., Otsuta, Y., Funahashi, W., Ogata, T. & Sakai, K. Differentiation between brewing and non-brewing yeasts using a combination of PCR and RFLP, 505
Yamaguchi, N. *see* Kawai, M.
Yamashita, S. *see* Mizuki, E.
Yang, Y. & Anderson, E.J. Antimicrobial activity of a porcine myeloperoxidase against plant pathogenic bacteria and fungi, 211
Yildirim, Z., Winters, D.K. & Johnson, M.G. Stimulation of nitrogen fixation and induction of flavonoid-like compounds by rhizobacteria, 45
Yoon, S.-S. *see* Choi, H.-J.

Zhdan, P.A. *see* Jones, C.R.
Zuckerman, U., Armon, R., Tzipori, S. & Gold, D. Evaluation of a portable differential continuous flow centrifuge for concentration of *Cryptosporidium* oocysts and *Giardia* cysts from water, 955

Index of Subjects

α–CGT-ase synthesis by *Bacillus stearothermophilus* (Kabaivanova, Dobreva & Miteva) 1017
Acid adaptation of *E. coli* O157:H7 (Deng, Ryu & Beuchat) 203
Acid tolerance in *E. coli* (Rowbury, Humphrey & Goodson) 325
Adherence of *L. monocytogenes* (Norwood & Gilmour) 576
Adhesion of *Staph. epidermidis* RP62A (Linton, Sherriff & Millar) 194
Adhesion of *Yersinia* to a membrane (Duffy & Sheridan) 867
Anaerobic desulphonation of LAS (Denger & Cook) 165
Antagonism of *P. polymyxa* towards *F. oxysporum* (Dijksterhuis, Sanders, Gorris & Smid) 13
Antimicrobial compound characterization (Scolari, Torriani & Vescovo) 682
Antimicrobial essential oils (Hammer, Carson & Riley) 985
Aquatic survival of *Campylobacter* spp. (Thomas, Hill & Mabey) 1024
Astrovirus and the environment (Egglestone, Caul, Vipond & Darville) 709
Automated detection of viable bacteria (Reynolds & Fricker) 785

B. thuringiensis on plants (Mizuki, Ichimatsu, Hwang, Park, Saitoh, Higuchi & Ohba) 979
Bacteria in mineral water (Defives, Guyard, Oularé, Mary & Hornez) 1033
Bacteria in water and sediment of the Ionian Sea (Cavallo, Rizzi, Vozza & Stabili) 906
Bacterial activity in purified water (Kawai, Yamaguchi & Nasu) 496
Bacterial flora of Arctic charr (Ringø & Olsen) 22
Bifidocin B from *Bifidobacterium bifidum* 1454 (Yildirim, Winters & Johnson) 45
Biguanides and *A. castellanii* ((Khunkitti, Hann, Lloyd, Furr & Russell) 453
Biodegradation of gasoline (Solano-Serena, Marchal, Ropars, Lebeault & Vandecasteele) 1008
Biofilm distribution in mineral water bottles (Jones, Adams, Zhdan & Chamberlain) 917

Campylobacter in fattening pigs (Weijtens, Reinders, Urlings & Van der Plas) 63
Cancer cell-killing *B. thuringiensis* inclusions (Mizuki, Ohba, Akao, Yamashita, Saitoh & Park) 477
Certification of *Bacillus cereus* (in't Veld, Havelaar & van Strijp-Lockefeer) 266
Characterization of *S. cerevisiae* (Hayford & Jespersen) 284
Chemiluminescence from culture media (Vogel & Süssmuth) 999
Chlorine susceptibility of *Aer. hydrophila* (Massa, Armuzzi, Tosques, Canganella & Trovatelli) 169
Classification of *B. thuringiensis* (Lecadet, Frachon, Cosmao Dumanoir, Ripouteau, Hamon, Laurent & Thiéry) 660
Clonality of *Vibrio anguillarum* (Pedersen, Kühn, Seppänen, Hellström, Tiainen, Rimaila-Pärnänen & Larsen) 337
Combined gas effects on micro-organisms (Amanatidou, Smid & Gorris) 429
Concentration of Protozoa from water (Zuckerman, Armon, Tzipori & Gold) 955
Cutinase of *T. fusca* (Fett, Wijey, Moreau & Osman) 561
Cyst and oocyst electroporation (Haas & Aturaliye) 899

Description of *Vibrio splendidus* biovar I and *Vibrio scophthalmi* strains (Farto, Montes, Pérez, Nieto, Larsen & Pedersen) 796
Detection of *Agrobacterium* in tumours (Cubero, Martínez, Llop & López) 591
Detection of *Shigella* (Lindqvist) 971
Diagnosis of *Septoria tritici* epidemics in wheat (Fraaije, Lovell, Rohel & Hollomon) 701
Dietary carbohydrates and faecal microflora (Cresci, Orpianesi, Silvi, Mastrandrea & Dolara) 245
Differences between bioscreen and plates (Lambert & van der Ouderaa) 689
Differentiation among yeasts (Yamagishi, Otsuta, Funahashi, Ogata & Sakai) 505
Diversity of *Ruminococcus* strains (Krause, Bunch, Smith & McSweeney) 487
DNA extraction from soil (Tien, Chao & Chao) 937
DNA probes specific for *Aer. hydrophila* (Oakey, Gibson & George) 187
DVC of bacteria in mineral water (Guyard, Mary, Defives & Hornez) 841

Effect of chlorine and ozone ((Arana, Santorum, Muela & Barcina) 883
Electrotransformation of *Streptococcus thermophilus* (O'Sullivan & Fitzgerald) 275
Endo-polygalacturonase from *V. albo-atrum* (Huang & Mahoney) 145
Engineered phage-resistant starter (Alvarez, Rodríguez & Suárez) 812
Enumeration of bifidobacteria (Payne, Morris & Beers) 353
EPS production by *A. vinelandii* (Moreno, Vargas-García, López & Sánchez-Serrano) 439
Esterase from *Lactobacillus casei* (Castillo, Requena, Fernández de Palencia, Fontecha & Gobbetti) 653
Ethanol tolerance in *S. cerevisiae* (Chi & Arneborg) 1047

Factors affecting tea tree oil activity (Hammer, Carson & Riley) 446
Faecal indicators in Morecambe Bay (Obiri-Danso & Jones) 603
Formulation of *Ps. fluorescens* F113 (Moënne-Loccoz, Naughton, Higgins, Powell, O'Connor & O'Gara) 108

Genotypic relationships in *B. cepacia* (Wigley & Burton) 460
Growth and inhibition of *Listeria monocytogenes* (Vasseur, Baverel, Hébraud & Labadie) 469
Growth of rhizobia (Abdelmoumen, Filali-Maltouf, Neyra, Belabed & Missbah El Idrissi) 889
Growth of *T. halophila* in *kecap* (Röling, Prasetyo, Stouthamer & van Verseveld) 348

Heat-stable antigens of *Camp. jejuni* (Moran & Penner) 361
Hexadecane uptake in bacteria (Bouchez-Naïtali, Rakatozafy, Marchal, Leveau & Vandecasteele) 421
Highly thermostable amylase (Mamo, Gashe & Gessesse) 557
Hospital sludge disinfection (Tsai & Lin) 827

Identification of rhizobia using FAMEs (Dunfield, Xavier & Germida) 78
Indoor dust-borne bacteria (Andersson, Weiss, Rainey & Salkinoja-Salonen) 622
Inhibition of *Bacillus* spores (Mansour, Amri, Bouttefroy, Linder & Milliere) 311
Inhibition of *Listeria monocytogenes* by lacticin 3147 (McAuliffe, Hill & Ross) 251
Inhibition of *Listeria monocytogenes* in milk (Boussouel, Mathieu, Benoit, Linder, Revol-Junelles & Millière) 642
Inhibition of the brown blotch disease (Soler-Rivas, Arpin, Olivier & Wichers) 635
Inositol polyphosphate iron transport (Hirst, Riley, Mills, Spiers, Poyner, Freeman, Potter & Smith) 537

Lactoferrin inhibits kidney infections (Bhimani, Vendrov & Furmanski) 135
LCFA-resistant clostridia from a digester (Jarvis, Strömpl, Moore & Thiele) 412
Linamarase from *Mucor circinelloides* (Petruccioli, Brimer, Cicalini & Federici) 302

Membrane fatty acids and QAC resistance (Méchin, Dubois-Brissonnet, Heyd & Leveau) 859
Mercuric reductase from *Azotobacter chroococcum* (Ghosh, Sadhukhan, Chaudhuri, Ghosh & Mandal) 7
Micro-organisms in fermented sorghum bread (Gassem) 221
Model for killer toxin accumulation (Barandica, Santos, Marquina, López, Acosta & Peinado) 805
Modelling weak-acid preservation (Lambert & Stratford) 157
Molecular identification of lactococcal strains from raw milks (Mangin, Corroler, Reinhardt & Gueguen) 514
Molecular virulence of *Legionella pneumophila* ((Krinos, High & Rodgers) 237
Morphology and metabolism of *Neocallimastix frontalis* EB188 (Chang, Harper & Calza) 389
Mupirocin resistance (Thomas, Wilson, Day & Russell) 715
Mycobacteria in brook sediments (Iivanainen, Martikainen, Väänänen & Katila) 673
Myeloperoxidase against plant pathogens (Yang & Anderson) 211

New antimicrobial compounds by LAB (Niku-Paavola, Laitila, Mattila-Sandholm & Haikara) 29
Nitrile-degrading operon from *Rhodococcus* sp. (Bigey, Chebrou, Fournand & Arnaud) 752
NO_3 nutrition and salt tolerance in *Anabaena* (Rai & Tiwari) 991
Novel ETEC-binding inhibitory protein (Fujiwara, Hashiba, Hirota & Forstner) 615

Occurrence and levels of phages in sludges (Lasobras, Dellunde, Jofre & Lucena) 723
Ortho-phthalaldehyde (Walsh, Maillard & Russell) 1039

Partial characterization and cloning of leuconocin J (Choi, Lee, Her, Oh and Yoon) 175
PCR fingerprinting of *Fusarium* (Lodwig, Bridge, Rutherford, Kung'u & Jeffries) 71
PCR-ELISA enumeration of *Escherichia coli* in oysters (González, García, Fernández, Sanz, Hernández and Martín) 231
Performance testing safety cabinets (Osborne, Durkin, Shannon, Dornan & Hughes) 962
Phospholipase A_1 preparation (Guberman, Hartmann, Tiedtke, Florin-Christensen & Florin-Christensen) 226
Phosphonoacetate hydrolase (McGrath, Kulakova & Quinn) 834
Physiology of *E. coli* O157 (James & Keevil) 117
Plantaricin 1.25α and 1.25β (Remiger, Eijsink, Ehrmann, Sletten, Nes & Vogel) 1053
Production of a bacteriocin mixture (Goulhen, Meghrous & Lacroix) 399
Production of vitamins by *Rhizobium* (Sierra, Rodelas, Martínez-Toledo, Pozo & González-López) 851
Protection of bifidus milk against infection (Silva, Bambirra, Oliveira, Souza, Gomes, Vieira & Nicoli) 331
Ps. syringae pv. *ciccaronei* bacteriocin (Lavermicocca, Lonigro, Evidente & Andolfi) 257
Pseudomonas aeruginosa adhesion to contact lens (Cowell, Willcox, Herbert & Schneider) 944

qacG confers QAC resistance (Heir, Sundheim & Holck) 378

RAPD and REP-PCR of *Bacillus sphaericus* (Miteva, Selenska-Pobell & Mitev) 928
Rapid detection of *Salmonella* (Cloak, Duffy, Sheridan, McDowell & Blair) 583
Recombinant proteins from whey (Maullu, Lampis, Basile, Ingianni, Rossolini & Pompei) 182
Resistant starch and gut microflora (Silvi, Rumney, Cresci & Rowland) 521
RNA genes from a thermococcale (Jones, Jermiin, Easteal, Patel & Beacham) 93
rpoS alleles in *E. coli* (Ferreira, Rendano, Wiedmann & Boor) 295

Saccharomyces cerevisiae rehydration (Poirier, Maréchal, Richard & Gervais) 87
Sampling for *Salmonella* (Skov, Carstensen, Tornoe & Madsen) 695
Selective agars for *Strep. iniae* (Nguyen & Kanai) 769
Serodiagnosis of VTEC (Chart & Jenkins) 721
Serodiagnosis of VTEC infections (Jenkins & Chart) 569
Shedding of campylobacters by sheep (Jones, Howard & Wallace) 531
Spontaneous ensilage of grape pomace (de Pina & Hogg) 777
Stimulation of nitrogen fixation (Parmar & Dadarwal) 36
Streptomycin resistance plasmids (Huang & Burr) 741
Survival of *E. coli* O157:H7 (Bolton, Byrne, Sheridan, McDowell & Blair) 407
Survival of microbial populations (Arroyo, Sanz & Préstamo) 544

Thermotolerant *Acetobacter* sp. 114-2 (Lu, Lee & Chen) 55
TOL degradation in mycorrhizosphere (Sarand, Timonen, Koivula, Peltola, Haahtela, Sen & Romantschuk) 817
Toxicity of microcystins to *Tetrahymena* (Ward & Codd) 874

Vibrio vulnificus in the Mediterranean Sea (Arias, Macián, Aznar, Garay & Pujalte) 125